




**LASKA**

*Processing Success*



**W 400**





## LASKA FROZEN MEAT GRINDER W 400 *Power Grinder*

Machine housing: solid stainless, closed bottom plate

Max.block cross section: 1000 x 600 x 300 mm

Holeplate diameter: 400 mm

Hopper capacity: 600 l

Hopper mirror: incl.

Worm housing: stainless

Working worm: stainless, for frozen meat, with hydr. operated worm ejector

Closing nut: stainless

Cutting set: incl. for frozen meat  
depending on type - ENTERPRISE- or UNGER-system

Safety bar on hopper

Safety platform (electr. interlocked)

Electrics: push buttons, built-in control box, with main switch

**W 400 - Standard** ENTERPRISE Cutting set

132kW

**W 400 - Heavy Duty** UNGER Cutting set

160kW

### **Optional equipment:**

Safety cover for cutting set - required for CE-conformity

Cleaning trolley for working worm and cutting sets - required for CE-conformity

LASKA belt conveyor FB 6030 - for loading of frozen meat blocks

Loading hoist, stainless steel, hydr. operated, for standard trolleys, for loading of fresh and frozen meat

# LASKA GEFRIERFLEISCHWOLF W 400 *Power Grinder*

Maschinengehäuse: massiv rostfrei, geschlossene Bodenplatte

Max.Blockquerschnitt: 1000 x 600 x 300 mm

Lochscheibendurchmesser: 400 mm

Trichtervolumen 600 Liter

Trichterspiegel: inklusive

Schneckengehäuse: rostfrei

Arbeitsschnecke: rostfrei, für Gefrierfleisch, mit Schneckenausstoßer hydraulisch

Verschlußmutter: rostfrei

Schneidsatz: inklusive, für Gefrierfleisch  
je nach Type - ENTERPRISE- oder UNGER-System

Schutzvorrichtung zur Absicherung des Einfülltrichters,

Sicherheitsauftritt (elektr. verriegelt)

Elektrische Steuerung: Drucktaster, Schaltschrank eingebaut, mit Hauptschalter

**W 400 - Standard** ENTERPRISE Schneidsatz

132kW

**W 400 - Heavy Duty** UNGER Schneidsatz

160kW


## Zusatzeinrichtungen:

Sicherheitsabdeckung für Schneidsatz - für CE-Kennzeichnung erforderlich

Reinigungswagen für Arbeitsschnecke und Schneidsätze -  
für CE-Kennzeichnung erforderlich.

LASKA Schrägförderband FB 6030  
zum Beschicken von Gefrierfleischblöcken.

Mast-Beschickungs-Anlage rostfrei, hydraulisch, für Standardwagen zur Beschickung von FF und GF



2007-04 / Angaben und Maße unverbindlich - Änderungen vorbehalten.  
We reserve the right to make alterations to data and measurements without prior notice.

## Fleischverarbeitungsmaschinen & Anlagen

## Meat Processing Machinery



## Cutting - Grinding - Mixing & More



[www.laska.at](http://www.laska.at)

MASCHINENFABRIK LASKA Ges.m.b.H.  
Makartstraße 60  
A-4050 Traun-Austria  
Tel. +43 (72 29) 606-0  
Fax +43 (72 29) 606-400  
e-mail: laska@laska.at